

Základný report váženia nádob pre obce (1): 2025-03-07 00:00:00 - 2025-03-10 23:59:59

Základný report váženia nádob pre obce (1): 2025-03-07 00:00:00 - 2025-03-10 23:59:59

Dátum a čas	Zákaznícka	Typ kontaj	Typ odpadu	NET (kg)	RFID
2025-03-07 06:41:01				10	40000033927F44
2025-03-07	Drysice	110	SKO	22	40000033856929
2025-03-07	Drysice	120 L	SKO	10	40000033927DF0
2025-03-07	Drysice	120	SKO	2	40000033928DF9
2025-03-07	Drysice	240	SKO	26	40000033928CF4
2025-03-07	Drysice	120 L	SKO	8	40000033927FEB
2025-03-07	Drysice	120	SKO	14	40000033928990
2025-03-07	Drysice	110	SKO	2	40000033856F97
2025-03-07	Drysice	110	SKO	20	40000033856F2A
2025-03-07	Drysice	110	SKO	4	40000033928DF2
2025-03-07	Drysice	110	SKO	2	40000033928D9C
2025-03-07	Drysice	120	SKO	6	40000033928D90
2025-03-07	Drysice	240	SKO	14	40000033856F3A
2025-03-07	Drysice	120	SKO	4	40000033928B4F
2025-03-07	Drysice	120	SKO	30	40000033928DCB
2025-03-07	Drysice	120	SKO	4	4000003392895A
2025-03-07	Drysice	120	SKO	6	40000033922447
2025-03-07	Drysice	240	SKO	10	40000033928D32
2025-03-07	Drysice	240	SKO	40	40000033928CC4
2025-03-07	Drysice	120	SKO	10	40000033928D92
2025-03-07	Drysice	120	SKO	26	40000033928DCC
2025-03-07	Drysice	120	SKO	20	400000339289AB
2025-03-07	Drysice	240	SKO	6	400000339289AF
2025-03-07	Drysice	110	SKO	8	40000033856FA6
2025-03-07	Drysice	240	SKO	4	40000033928B85
2025-03-07	Drysice	110	SKO	4	40000033856F8B
2025-03-07	Drysice	120	SKO	10	40000033928D9B
2025-03-07	Drysice	240	SKO	10	40000033928BB3
2025-03-07	Drysice	240	SKO	18	400000339226A0
2025-03-07	Drysice	240	SKO	6	40000033928D89

Základný report váženía nádob pre obce (1): 2025-03-07 00:00:00 - 2025-03-10 23:59:59

2025-03-07	Drysice	240	SKO	46	40000033928971
2025-03-07	Drysice	240	SKO	10	40000033928DAB
2025-03-07	Drysice	240	SKO	22	40000033928DE1
2025-03-07	Drysice	120	SKO	24	4000003385B441
2025-03-07	Drysice	240	SKO	18	40000033928DB6
2025-03-07	Drysice	120	SKO	12	40000033928C9A
2025-03-07	Drysice	120	SKO	8	40000033928C86
2025-03-07	Drysice	110	SKO	4	40000033856FAD
2025-03-07	Drysice	120	SKO	6	40000033927E9C
2025-03-07	Drysice	120	SKO	8	400000339289D1
2025-03-07	Drysice	120	SKO	10	40000033928BAC
2025-03-07	Drysice	240	SKO	8	40000033928C7B
2025-03-07	Drysice	120	SKO	6	400000339289E5
2025-03-07	Drysice	240	SKO	32	40000033928D3B
2025-03-07	Drysice	110	SKO	6	4000003385696B
2025-03-07	Drysice	240	SKO	6	40000033928956
2025-03-07	Drysice	120	SKO	2	40000033928CD2
2025-03-07	Drysice	120	SKO	22	400000339289B1
2025-03-07	Drysice	110	SKO	4	40000033856574
2025-03-07	Drysice	120	SKO	6	40000033928BAE
2025-03-07	Drysice	120	SKO	4	40000033928B41
2025-03-07	Drysice	120	SKO	16	40000033928D82
2025-03-07	Drysice	120	SKO	30	40000033928A49
2025-03-07	Drysice	120	SKO	10	40000033928A11
2025-03-07	Drysice	120	SKO	4	40000033928C5B
2025-03-07	Drysice	120	SKO	6	40000033927EA3
2025-03-07	Drysice	120	SKO	2	40000033928BBD
2025-03-07	Drysice	240	SKO	28	400000339289D8
2025-03-07	Drysice	120	SKO	8	40000033928DC1
2025-03-07	Drysice	110	SKO	2	40000033855CD7
2025-03-07	Drysice	120	SKO	8	40000033928D41
2025-03-07	Drysice	110	SKO	8	4000003385695B
2025-03-07	Drysice	240	SKO	30	40000033927FAD

Základný report váženía nádob pre obce (1): 2025-03-07 00:00:00 - 2025-03-10 23:59:59

2025-03-07	Drysice	110	SKO	2	40000033856951
2025-03-07	Drysice	240	SKO	28	400000339289C5
2025-03-07	Drysice	120	SKO	6	40000033928C63
2025-03-07	Drysice	240	SKO	8	40000033928D99
2025-03-07	Drysice	240	SKO	12	40000033856985
2025-03-07	Drysice	120	SKO	16	40000033928998
2025-03-07	Drysice	240	SKO	34	40000033928DA9
2025-03-07	Drysice	240	SKO	80	40000033928DAE
2025-03-07	Drysice	240	SKO	36	40000033928DD7
2025-03-07	Drysice	120	SKO	10	40000033928D4C
2025-03-07	Drysice	110	SKO	24	40000033928A05
2025-03-07	Drysice	120	SKO	4	40000033928D4D
2025-03-07	Drysice	120 L	SKO	8	400000339289BC
2025-03-07	Drysice	110	SKO	6	40000033856984
2025-03-07	Drysice	120	SKO	10	40000033928DB1
2025-03-07	Drysice	120	SKO	14	40000033928B93
2025-03-07	Drysice	240 L	SKO	12	40000033927EBF
2025-03-07	Drysice	240	SKO	14	40000033928DB5
2025-03-07	Drysice	120	SKO	10	40000033928D6B
2025-03-07	Drysice	110	SKO	10	4000003385692D
2025-03-07	Drysice	120	SKO	4	40000033922645
2025-03-07	Drysice	120	SKO	4	40000033928D49
2025-03-07	Drysice	110	SKO	10	40000033856F24
2025-03-07	Drysice	120	SKO	12	400000339289F4
2025-03-07	Drysice	120	SKO	12	40000033928983
2025-03-07	Drysice	110	SKO	4	40000033856F4E
2025-03-07	Drysice	120	SKO	8	40000033928CA7
2025-03-07	Drysice	110	SKO	8	40000033856F25
2025-03-07	Drysice	120	SKO	12	40000033928A7C
2025-03-07	Drysice	120	SKO	6	40000033928DEB
2025-03-07	Drysice	120 L	SKO	6	40000033927E5E
2025-03-07	Drysice	120	SKO	12	40000033928C99
2025-03-07	Drysice	120	SKO	20	40000033928BB6

Základný report váženia nádob pre obce (1): 2025-03-07 00:00:00 - 2025-03-10 23:59:59

2025-03-07	Drysice	240	SKO	24	400000339289D4
2025-03-07	Drysice	240	SKO	6	40000033928CB1
2025-03-07	Drysice	110	SKO	10	40000033856F8D
2025-03-07	Drysice	240	SKO	2	40000033928D98
2025-03-07	Drysice	120	SKO	8	40000033928CFC
2025-03-07	Drysice	110	SKO	2	40000033856FB4
2025-03-07	Drysice	240	SKO	18	40000033928DCA
2025-03-07	Drysice	120	SKO	26	40000033928CB0
2025-03-07	Drysice	240	SKO	4	40000033928DBD
2025-03-07	Drysice	120	SKO	12	40000033928A0D
2025-03-07	Drysice	240	SKO	16	400000339289FF
2025-03-07	Drysice	120	SKO	12	400000339289D5
2025-03-07	Drysice	120 L	SKO	4	40000033928C04
2025-03-07	Drysice	120	SKO	8	40000033928C1B
2025-03-07	Drysice	240	SKO	12	40000033928C40
2025-03-07	Drysice	120	SKO	8	400000339289E4
2025-03-07	Drysice	120	SKO	18	40000033928B02
2025-03-07	Drysice	120	SKO	10	40000033928C43
2025-03-07	Drysice	240	SKO	20	40000033928D3D
2025-03-07	Drysice	120	SKO	6	40000033928974
2025-03-07	Drysice	120	SKO	2	40000033928D0D
2025-03-07	Drysice	240	SKO	28	40000033928DAA
2025-03-07	Drysice	110	SKO	10	40000033856F7F
2025-03-07	Drysice	110	SKO	4	40000033856FCC
2025-03-07	Drysice	120	SKO	6	40000033922524
2025-03-07	Drysice	240 L	SKO	30	40000033928C21
2025-03-07	Drysice	240	SKO	2	40000033928DE0
2025-03-07	Drysice	120	SKO	2	40000033928A03
2025-03-07	Drysice	240	SKO	12	40000033928CB8
2025-03-07	Drysice	120	SKO	6	4000003392260D
2025-03-07	Drysice	240	SKO	18	400000339289EB
2025-03-07 07:42:45		1100	SKO	150	40000033927F8C
2025-03-07 07:44:27		240	SKO	8	40000033927EDF

Základný report váženia nádob pre obce (1): 2025-03-07 00:00:00 - 2025-03-10 23:59:59

2025-03-07 07:44:49		240	SKO	6	40000033927F2A
2025-03-07	Drysice	120 L	SKO	6	40000033927E99
2025-03-07	Drysice	110	SKO	10	40000033856F6F
2025-03-07	Drysice	120	SKO	6	4000003392899B
2025-03-07	Drysice	240	SKO	0	40000033928D3C
2025-03-07	Drysice	110	SKO	6	40000033856F95
2025-03-07	Drysice	120	SKO	6	40000033922474
2025-03-07	Drysice	110	SKO	6	40000033856F6D
2025-03-07	Drysice	240	SKO	18	40000033928A83
2025-03-07	Drysice	120	SKO	22	40000033927AB7
2025-03-07	Drysice	240	SKO	6	40000033922285
2025-03-07	Drysice	240	SKO	10	40000033922501
2025-03-07	Drysice	240	SKO	52	400000339289DD
2025-03-07	Drysice	120	SKO	8	40000033928C3F
2025-03-07	Drysice	120	SKO	10	40000033928D06
2025-03-07	Drysice	110 L	SKO	12	40000033856FB5
2025-03-07	Drysice	120	SKO	8	40000033928999
2025-03-07 07:52:36		120	SKO	8	40000033928A4A
2025-03-07	Drysice	240	SKO	18	40000033928957
2025-03-07	Drysice	240	SKO	8	40000033928DA3
2025-03-07	Drysice	240	SKO	22	40000033856F74